

Cholesterol Screening Recommendations Not Met

Cholesterol Screening Recommendations Not Met

- Most recent data (2013): 13% or about 201,400 King County adults age 18+.
- Trend over time: 2001-13: flat
- Description: No cholesterol check within 5 years
- Healthy People 2020 Goal: 18% or lower

Cholesterol screening recommendations not met, King County, 2009-2013 average

	Percent	Lower CI	Upper CI
King County (adults age 18+)	14	13	16
AGE			
25-44	28	23	33
45-64	13	11	16
65+	7	5	8
GENDER			
Male	17	15	19
Female	11	9	14
RACE/ETHNICITY			
AIAN	23 §	8 §	50 §
Asian	15	10	22
Black	16	10	25
Hispanic	27	20	36
Multiple	21 §	11 §	36 §
NHPI	*	*	*
White	13	11	15
HOUSEHOLD INCOME			
<\$15,000	23	16	34
\$15,000 to \$24,999	24	19	31
\$25,000 to \$34,999	23	16	32
\$35,000 to \$49,999	12	8	17
\$50,000 to \$74,999	15	11	20
\$75,000+	9	7	11
REGION			
East	11	9	14
North	12	8	18
Seattle	17	14	20
South	14	12	17
STATE			
Washington State	14	13	14

Comparisons:

- Higher than King County rate (yellow)
- Lower than King County rate (green)

Notes:

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 07/2016.

N/A: Not available.


CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Cholesterol screening recommendations not met King County, 2009-2013 average



Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 07/2016.

[-----] Confidence interval shows range that includes true value 95% of the time.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Cholesterol screening recommendations not met by health reporting areas, King County, 2009-2013 average

	Percent	Lower CI	Upper CI
King County (adults age 18+)	14	13	16
Auburn	14 §	6 §	28 §
..Auburn-North	18 §	7 §	39 §
..Auburn-South	7 §	3 §	15 §
Bear Creek/Carnation/Duvall	11	6	18
Bellevue	12	7	21
..Bellevue-Central	16 §	7 §	34 §
..Bellevue-NE	10 §	4 §	22 §
..Bellevue-South	8 §	2 §	25 §
..Bellevue-West	15 §	3 §	49 §
Black Diamond/Enumclaw/SE County	15	9	24
Bothell/Woodinville	4 §	1 §	12 §
Burien	17 §	8 §	34 §
Covington/Maple Valley	15	8	25
Des Moines/Normandy Park	8 §	4 §	17 §
East Federal Way	29 §	13 §	51 §
Fairwood	5 §	2 §	13 §
Federal Way	13	8	22
..Fed Way-Central/Military Rd	9 §	4 §	18 §
..Fed Way-Dash Point/Woodmont	23 §	11 §	41 §
Issaquah	10 §	3 §	27 §
Kenmore/LFP	18	10	30
Kent	13	8	19
..Kent-East	13 §	5 §	29 §
..Kent-SE	14	8	23
..Kent-West	9 §	3 §	26 §
Kirkland	12	8	18
..Kirkland	11 §	6 §	20 §
..Kirkland North	13	7	21
Mercer Isle/Pt Cities	11 §	4 §	24 §
Newcastle/Four Creeks	14 §	6 §	30 §
North Highline	*	*	*
Redmond	14 §	5 §	32 §
Renton	17	10	28
..Renton-East	23 §	11 §	41 §
..Renton-North	23 §	7 §	54 §
..Renton-South	9 §	4 §	20 §
Sammamish	8 §	4 §	16 §
SeaTac/Tukwila	20 §	10 §	35 §
Seattle	17	14	20
..Ballard	15	10	23
..Beacon/Gtown/S.Park	20 §	8 §	44 §
..Capitol Hill/E.lake	23 §	11 §	42 §
..Central Seattle	10 §	4 §	25 §
..Delridge	12 §	7 §	22 §
..Downtown	21 §	11 §	37 §
..Fremont/Greenlake	15	8	25
..NE Seattle	15	8	25
..North Seattle	9	6	15
..NW Seattle	14	8	23
..QA/Magnolia	19 §	8 §	38 §
..SE Seattle	32	19	49
..West Seattle	14 §	8 §	25 §
Shoreline	12	7	21
Snoqualmie/North Bend/Skykomish	10 §	5 §	18 §
Vashon Island	9 §	4 §	17 §

Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

Notes:

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 07/2016.


CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Cholesterol screening recommendations not met by health reporting areas King County, 2009-2013 average




Note: HRA labels on the map match the chart on the right, listed in alphabetical order

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 07/2016.

Cholesterol screening recommendations not met King County, 2001-2013, three-year rolling averages



Trends over time: King County (2001-13: flat); East KC (2001-13: flat); North KC (2001-13: flat); Seattle (2001-13: flat); South KC (2001-13: flat); Washington State (2001-13: flat)

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 07/2016.

Produced by the
Assessment, Policy Development & Evaluation Unit
Public Health - Seattle & King County
07/16